



PTS Approved Meters

All listed meter models are approved for CPS and MA Class I RECs.
Please review the SREC Approved Capacity column for SREC eligibility.
As of February 2026

| Manufacturer Name | Model Name | Accuracy Class | SREC Approved Capacity (DC) |
|----------------------------------------------------|-------------------------------|----------------|-----------------------------|
| ABB | AB1 | ±2.0% | Up to 10kW |
| ABB | Alpha Plus A1D+ | ±0.5% | All |
| ABB | D5S | ±2.0% | Up to 10kW |
| ABB | PVI 3.0 kW to 4.2 kW (-M) | ±0.5% | All |
| ABB | PVI5000-Rev2 1-RGM | ±0.5% | All |
| ABB | PVI6000-Rev2 1-RGM | ±0.5% | All |
| Accuenergy | AcuRev 1310 | ±0.5% | All |
| Accuenergy | AcuRev 1313-333-X0 | ±0.5% | All |
| Accuenergy | AcuRev 2100 Series | ±0.5% | All |
| Accuenergy | Acuvim II Series | ±0.5% | All |
| Accuenergy | Acuvim 3 Series | ±0.5% | All |
| Aclara | I-210+ | ±0.5% | All |
| Aclara | Kv2c Series | ±0.5% | All |
| Continental Control Systems / WattNode (SolarEdge) | RWNC-MB Series | ±1.0% | Up to 1MW |
| Continental Control Systems / WattNode (SolarEdge) | RWND-MB Series | ±0.5% | All |
| Continental Control Systems / WattNode (SolarEdge) | WND-M1-MB | ±0.5% | All |
| Continental Control Systems / WattNode (SolarEdge) | WND-WR-MB | ±0.5% | All |
| Continental Control Systems / WattNode (SolarEdge) | WNC-MB series | ±1.0% | Up to 1MW |
| Delta | E-Series with RGM | ±0.5% | All |
| Delta | M-Series with RGM | ±0.5% | All |
| Delta | SolarCity H6 Hybrid Inverter | ±1.0% | Up to 1MW |
| Delta | Solivia TL Series with RGM | ±1.0% | Up to 1MW |
| Eaton | PXM 2000 Series | ±0.5% | All |
| Eaton | PXM 4000 Series | ±0.5% | All |
| Eaton | PXM 6000 Series | ±0.5% | All |
| Eaton | PXM 8000 Series | ±0.5% | All |
| eGauge | 3 Series-12.1 | ±1.0% | Up to 1MW |
| eGauge | 3 Series-12.20 w/ Certificate | ±0.5% | All |
| eGauge | EG4115 | ±0.5% | All |
| eGauge | EG4130 | ±0.5% | All |
| EKM Metering | Omnimeter Pulse UL v.4 | ±0.5% | All |



PTS Approved Meters

All listed meter models are approved for CPS and MA Class I RECs.
Please review the SREC Approved Capacity column for SREC eligibility.
As of February 2026

| Manufacturer Name | Model Name | Accuracy Class | SREC Approved Capacity (DC) |
|------------------------------|----------------------------------------------|----------------|-----------------------------|
| Electro Industries/Gaugetech | Nexus 1262 | ±0.5% | All |
| Electro Industries/GaugeTech | Nexus 1272 | ±0.5% | All |
| Electro Industries/Gaugetech | Shark 100 | ±0.5% | All |
| Electro Industries/Gaugetech | Shark 200 | ±0.5% | All |
| Electro Industries/Gaugetech | Shark 270 | ±0.5% | All |
| Elkor Technologies | WattsOn 1100-5A | ±0.5% | All |
| Elkor Technologies | WattsOn-Mark II | ±0.5% | All |
| Elster | A3 Alpha | ±0.5% | All |
| Elster | AB1 | ±2.0% | Up to 10kW |
| Elster | Rex 2 | ±0.5% | All |
| E-MON | E-Mon D-Mon Class 2000 | ±1.0% | Up to 1MW |
| Energy Tracking | WEM-MX | ±0.5% | All |
| Enphase Energy | Enphase Envoy-S Metered | ±0.5% | All |
| Enphase Energy | Enphase IQ Envoy | ±0.5% | All |
| Enphase Energy | RGM-MTR-01 | ±0.5% | All |
| Enphase Energy | X2-IQ-AM1-240-4 | ±0.5% | All |
| Enphase Energy | X2-IQ-AM1-240-4C | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-3 | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-3C | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-3C-ES | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-3-ES | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-4 | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-4C | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-5 | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-5C | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-5-HDK | ±0.5% | All |
| Enphase Energy | X-IQ-AM1-240-5C-HDK | ±0.5% | All |
| Fronius USA | Fronius Primo Series with RGM | ±2.0% | Up to 10kW |
| General Electric | I-210 Series | ±0.5% | All |
| General Electric | I-70-S | ±1.0% | Up to 1MW |
| General Electric | KV2c | ±0.5% | All |
| General Electric | KV2c+ | ±2.0% | Up to 10kW |
| General Electric | KWHR | ±0.5% | All |
| Heliotronics | SunLoggerR | ±0.5% | All |
| ltron | Centron C1S (formerly Schlumberger CL200) | ±0.5% | All |



PTS Approved Meters

All listed meter models are approved for CPS and MA Class I RECs.
Please review the SREC Approved Capacity column for SREC eligibility.
As of February 2026

| Manufacturer Name | Model Name | Accuracy Class | SREC Approved Capacity (DC) |
|-------------------|-----------------|----------------|-----------------------------------------------------------|
| Itron | CENTRON CN1S | ±0.5% | All |
| Itron | CENTRON CN1SD | ±0.5% | All |
| Itron | CENTRON CN1SL | ±0.5% | All |
| Itron | CENTRON CN1ST | ±0.5% | All |
| Itron | Centron CP1SD | ±0.5% | All |
| Itron | CENTRON CP1SL | ±0.5% | All |
| Itron | CENTRON CP1ST | ±0.5% | All |
| Itron | OpenWay CENTRON | ±0.5% | All |
| Itron | Solar Meter | ±0.5% | All |
| Landis+Gyr | Focus | ±0.5% | All |
| Landis+Gyr | MX | ±2.0% | Up to 10kW |
| Leviton | Mini Meter | ±1.0% | Up to 1MW |
| Leviton | Series 2000 | ±1.0% | Up to 1MW |
| Locus Energy | LGate 100 | ±0.5% | All <i>*manufacturer recommends usage up to 25 kW*</i> |
| Locus Energy | LGate 101 | ±0.5% | All <i>*manufacturer recommends usage up to 25 kW*</i> |
| Locus Energy | LGate 120 | ±0.5% | All <i>*manufacturer recommends usage up to 25 kW*</i> |
| Locus Energy | LGate 310 | ±0.5% | All <i>*manufacturer recommends usage up to 25 kW*</i> |
| Locus Energy | LGate 320 | ±0.5% | All <i>*manufacturer recommends usage up to 25 kW*</i> |
| Locus Energy | LGate 350 | ±0.5% | All |
| Locus Energy | LGate 360 | ±0.5% | All |
| Measurlogic | DTS 307 | ±0.5% | All |
| Measurlogic | DTS 310 | ±0.5% | All |
| Measurlogic | DTS SKT | ±0.5% | All |
| Measurlogic | DTS SMX | ±0.5% | All |
| Milbank | CL200-240V | ±1.0% | Up to 1MW |
| Mueller Systems | Mi.Net | ±0.5% | All |



PTS Approved Meters

All listed meter models are approved for CPS and MA Class I RECs.
 Please review the SREC Approved Capacity column for SREC eligibility.
 As of February 2026

| Manufacturer Name | Model Name | Accuracy Class | SREC Approved Capacity (DC) |
|-------------------------------------|--------------------------|----------------|-----------------------------|
| Neurio | W2 | ±0.5% | All |
| Neurio | W2HEM | ±0.5% | All |
| SATEC | PRO PM335 / EM235 | ±0.5% | All |
| Schneider Electric | EM35xxA Series | ±0.5% | All |
| Schneider Electric | EM3xx Series | ±0.5% | All |
| Schneider Electric | ION 7300 Series | ±0.5% | All |
| Schneider Electric | ION 8600 | ±0.5% | All |
| Schneider Electric | ION 8650 | ±0.5% | All |
| Schneider Electric | PM5500 | ±0.5% | All |
| Schneider Electric | PM8000 | ±0.5% | All |
| Schweitzer Engineering Laboratories | SEL-735 | ±0.5% | All |
| Sense Labs, Inc. | SE3 Meter | ±0.5% | All |
| Sensus | iCon | ±0.5% | All |
| SMA | RGM05KIT-US-10 | ±0.5% | All |
| Solar Data Systems | ArrayMeter | ±0.5% | All |
| SolarEdge | RGM Inverter SE10000H-US | ±0.5% | All |
| SolarEdge | RGM Inverter SE11400H-US | ±0.5% | All |
| SolarEdge | RGM Inverter SE3000H-US | ±0.5% | All |
| SolarEdge | RGM Inverter SE3800H-US | ±0.5% | All |
| SolarEdge | RGM Inverter SE5000H-US | ±0.5% | All |
| SolarEdge | RGM Inverter SE6000H-US | ±0.5% | All |
| SolarEdge | RGM Inverter SE7600H-US | ±0.5% | All |
| SolarEdge | SE-MTR240-NN-S-S1 | ±1.0% | Up to 1MW |
| SolarEdge | SE-RGMTR-1D-240C-A | ±0.5% | All |